

Revision nr. 1

Dated 14/05/2024 First compilation Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 1/15

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: cla5-18g

Crystale Class Dishwasher Tablets 100x18g Product name

UFI: NPE6-M04V-9001-PWPU

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Detergent tablets for household dishwashers.

1.3. Details of the supplier of the safety data sheet

CHEMICAL FLACER SRL Name

Full address Loc. Bellaria, 31/a District and Country

40036 Vado (BO)

Italy

Tel. 051/6778202

Fax 051/5063724

e-mail address of the competent person

responsible for the Safety Data Sheet davide@flacer.com

1.4. Emergency telephone number

051/6778202 For urgent inquiries refer to

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Revision nr. 1

Dated 14/05/2024
First compilation
Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 2/15



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.
EUH208 Contains: SUBTILISIN
May produce an allergic reaction.

Precautionary statements:

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

P264 Wash hands thoroughly after handling.

COMPOSITION (According Reg. 648 /2004/CE)

Oxygen-based bleaching agents,> 5% - < 15%

Non ionic surfactant ,Polycarboxylates, Phosphonates, Enzymes Perfumes < 5%

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

SODIUM CARBONATE

INDEX 011-005-00-2 $26 \le x < 36$ Eye Irrit. 2 H319

EC 207-838-8 CAS 497-19-8

REACH Reg. 01-2119485498-19

DISODIUM CARBONATE, COMPOSED WITH HYDROGEN

PEROXIDE (2:3)

INDEX - $10 \le x < 15$ Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Dam. 1 H318 EC 239-707-6 Eye Dam. 1 H318: $\ge 25\%$, Eye Irrit. 2 H319: $\ge 10\%$



Revision nr. 1

Dated 14/05/2024 First compilation

Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 3/15

CAS 15630-89-4 LD50 Oral: 1034 mg/kg

REACH Reg. 01-2119457268-30 CITRIC ACID MONOHYDRATE

INDEX - 1 ≤ x < 3 Eye Irrit. 2 H319, STOT SE 3 H335

EC 201-069-1 CAS 5949-29-1

REACH Reg. 01-2119457026-42-

XXXX

Alcohols, C16-C18 ethoxylated

INDEX $1 \le x < 2$ Eye Irrit. 2 H319

EC -

CAS 68439-49-6 **SUBTILISIN**

INDEX - $0.15 \le x < 0.25$ Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335,

Resp. Sens. 1 H334, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

LD50 Oral: 1800 mg/kg

EC 232-752-2 CAS 9014-01-1

REACH Reg. 01-2119480434-38

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.



Revision nr. 1

Dated 14/05/2024
First compilation

Printed on 14/05/2024

Page n. 4/15

Crystale Classic Dishwasher Tablets 100x18g

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.



Revision nr. 1

Dated 14/05/2024 First compilation

Printed on 14/05/2024

10 mg/m3

Page n. 5/15

Crystale Classic Dishwasher Tablets 100x18g

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

10 mg/m3

8.1. Control parameters

Regulatory References:

EU OEL EU

Normal value of STP microorganisms

Inhalation

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

mg/l

SODIUM CARBONATE								
Health - Derived no-effect le	evel - DNEL / D	MEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic

DISODIUM CARBONATE, COMPOSED WITH HYDROGEN PEROXIDE (2:3)					
Predicted no-effect concentration - PNEC					
Normal value in fresh water	0,035	mg/l			
Normal value in marine water	0,035	mg/l			

16,24

Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation							5 mg/m3	VND
Skin	6,4 mg	VND	6,4 mg/m2	VND	12,8 mg/cm2	VND	12,8 mg/cm2	VND

SUBTILISIN Threshold Limit Value							
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
OFI	FU	4F-05	-	30	-		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls



Revision nr. 1

Dated 14/05/2024 First compilation

Printed on 14/05/2024

Page n. 6/15

Crystale Classic Dishwasher Tablets 100x18g

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKINI DEOTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value solid	Information
Colour	green/blue	
Odour	Lemon	
Melting point / freezing point	0 °C	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
рН	10 – 11 (18g/L)	
Kinematic viscosity	not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1 – 1,2 (Kg/L)	
Relative vapour density	not available	
Particle characteristics	not available	



Revision nr. 1

Dated 14/05/2024 First compilation

Printed on 14/05/2024

Page n. 7/15

Crystale Classic Dishwasher Tablets 100x18g

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



Revision nr. 1

Dated 14/05/2024
First compilation
Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 8/15

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

SODIUM CARBONATE

 LD50 (Dermal):
 117 mg/kg Mouse

 LD50 (Oral):
 4090 mg/kg Rat

 LC50 (Inhalation mists/powders):
 2,3 mg/l/2h Rat

DISODIUM CARBONATE, COMPOSED WITH HYDROGEN PEROXIDE (2:3)

LD50 (Oral): 1034 mg/kg LC50 (Inhalation mists/powders): 1200 mg/m3

CITRIC ACID MONOHYDRATE

LD50 (Dermal): > 2000 mg/kg LD50 (Oral): 5400 mg/kg topo

Alcohols, C16-C18 ethoxylated

LD50 (Oral): > 2000 mg/kg ratto



Crystale Classic Dishwasher Tablets 100x18g

Revision nr. 1

Dated 14/05/2024 First compilation

Printed on 14/05/2024

Page n. 9/15

SUBTILISIN

 LD50 (Dermal):
 2 ml/kg

 LD50 (Oral):
 1800 mg/kg

 LC50 (Inhalation vapours):
 0,8 ml/l

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: SUBTILISIN

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class



Revision nr. 1

Dated 14/05/2024
First compilation
Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 10/15

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Alcohols, C16-C18 ethoxylated

 LC50 - for Fish
 100 mg/l/96h

 EC50 - for Crustacea
 100 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 100 mg/l/72h

DISODIUM CARBONATE, COMPOSED

WITH HYDROGEN PEROXIDE (2:3)

LC50 - for Fish > 70 mg/l/96h

SUBTILISIN

Chronic NOEC for Algae / Aquatic Plants 0,041 mg/l

12.2. Persistence and degradability

SODIUM CARBONATE

Solubility in water 1000 - 10000 mg/l

Degradability: information not available

The surfactants contained in this formulation comply with the biodegradability criteria established by Regulation (EC) no. 648/2004 relating to detergents. Surfactant information

Persistence/Biodegradability Test method: OECD 301 Rating: Easily biodegradable

12.3. Bioaccumulative potential



Revision nr. 1

Dated 14/05/2024 First compilation

Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 11/15

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

PBT substances: none vPvB substances: none.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation. none

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable



Revision nr. 1

Dated 14/05/2024
First compilation

		First compliation
	Crystale Classic Dishwasher Tablets 100x18g	Printed on 14/05/2024
		Page n. 12/15
14.3. Transport hazard class(es)		
14.0. Hansport nazara diass(es)		
not applicable		
14.4. Packing group		
not applicable		
14.5. Environmental hazards		
not applicable		
14.6. Special precautions for user		
not applicable		
14.7. Maritime transport in bulk acco	ording to IMO instruments	
nformation not relevant		
SECTION 15. Regulatory	information	
	ntal regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/E		
	ontained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Contained substance		
Point	75	
Regulation (ELI) 2019/1148 - on the m	arketing and use of explosives precursors	
not applicable	arketing and use or explosives precursors	
Substances in Candidate List (Art. 59 F	REACH)	
Sassanoo in Ganadate List (Alt. 991	<u> </u>	



Revision nr. 1

Dated 14/05/2024
First compilation
Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 13/15

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 3 Oxidising solid, category 3

Acute Tox. 4 Acute toxicity, category 4

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Resp. Sens. 1 Respiratory sensitization, category 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.

H318 Causes serious eye damage.H319 Causes serious eye irritation.

H315 Causes skin irritation.



Revision nr. 1

Dated 14/05/2024 First compilation Printed on 14/05/2024

Crystale Classic Dishwasher Tablets 100x18g

Page n. 14/15

H335 May cause respiratory irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- **DNEL: Derived No Effect Level**
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP) 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)



Revision nr. 1

Dated 14/05/2024 First compilation

Printed on 14/05/2024

Page n. 15/15

Crystale Classic Dishwasher Tablets 100x18g

22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- · The Merck Index. 10th Edition · Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:
The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products. CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.